Sika[®] FerroGard[®]-901 S



Version 4.1	Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017
SECTIO	N 1. PRODUCT AND COM	IPAN	Y IDENTIFICATION	
Pro	duct name	: :	Sika [®] FerroGard [®] -901 S	
Mar	nufacturer or supplier's o	letails	5	
Cor	npany	4	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Tele	ephone	:	+61 2 9725 11 45	
Eme	ergency telephone numbe	r:	+61 1800 033 111	

: +61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use	: Concrete admixtures

SECTION 2. HAZARDS IDENTIFICATION

Telefax

GHS Classification Skin corrosion/irritation		Category 2
Skin conosion/initiation	•	Category 2
Serious eye damage/eye irri- tation	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.
		Response:
		P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ atten-
		410

Sika[®] FerroGard[®]-901 S



Version	Revision Date:	SDS Number:	Date of last issue: 08.08.2021
4.1	27.01.2025	10000009396	Date of first issue: 10.07.2017

tion.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-dimethylaminoethanol	108-01-0	>= 3 -< 5
2,2'-(methylimino)diethanol	105-59-9	< 10

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. Causes serious eye damage.

Sika[®] FerroGard[®]-901 S



/ersion 4.1	Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017
Notes	to physician	:	Treat symptomatically.	
SECTION	5. FIREFIGHTING MEA	SU	RES	
Suital	ble extinguishing media	:	Use extinguishing measures cumstances and the surroun	that are appropriate to local cir- ding environment.
Hazaı ucts	rdous combustion prod-	:	No hazardous combustion p	roducts are known
Speci ods	fic extinguishing meth-	:	Standard procedure for chen	nical fires.
Speci	al protective equipment efighters	:	In the event of fire, wear self	-contained breathing apparatus.
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	nal precautions, protec- quipment and emer- / procedures	:	Use personal protective equi Deny access to unprotected	
Enviro	onmental precautions	:	Try to prevent the material fr courses. No special environmental pre	-
	ods and materials for inment and cleaning up	:	Soak up with inert absorbent acid binder, universal binder Keep in suitable, closed cont	
SECTION	7. HANDLING AND ST	OR	AGE	
	e on protection against nd explosion	:	Normal measures for preven	tive fire protection.
Advic	e on safe handling	:	section 8). Do not get in eyes, on skin, o For personal protection see Smoking, eating and drinking plication area.	
Hygie	ne measures	:	Handle in accordance with g practice. When using do not eat or dri	ood industrial hygiene and safety

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

When using do not eat or drink. When using do not smoke.

Sika[®] FerroGard[®]-901 S



Version	Revision Date:	SDS Number:	Date of last issue: 08.08.2021
4.1	27.01.2025	100000009396	Date of first issue: 10.07.2017

place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-dimethylaminoethanol	108-01-0	STEL	6 ppm 22 mg/m3	AU OEL
		TWA	2 ppm 7.4 mg/m3	AU OEL
Appropriate engineering controls	: Use adequate vent exposure		or engineering contro	ols to pre-
Personal protective equipment	nt			
Respiratory protection	Respirator se exposure leve	lection must be l	ion wear respiratory p based on known or a of the product and the respirator.	nticipated
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			en handling
Eye protection	: Safety glasse	S		
Skin and body protection	: Protective clo clothing, long Follow AS 22	trousers)	/ shoes, long-sleeved	l working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

рН	: ca. 9.5 (20 °C (68 °F)) Concentration: 100 %	
Odour Threshold	: No data available	
Odour	: amine-like	
Colour	: colourless	
Appearance	: liquid	

Sika[®] FerroGard[®]-901 S



Versi 4.1	on Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017
	Melting point/ range / Freez-	:	No data available	
	ing point Boiling point/boiling range	:	No data available	
	Flash point	:	ca. 106 °C (223 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	23 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.049 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	soluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	ca. 22 mPa.s (20 °C (68 °F))	
	Viscosity, kinematic	:	< 20.5 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Sika[®] FerroGard[®]-901 S



Vers 4.1	ion Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017
	Chemical stability	:	The product is chemically stable.	
	Possibility of hazardous reac- tions	:	No hazards to be specially mention	oned.
	Conditions to avoid	:	No data available	
	Incompatible materials	:	see section 7.	
	Hazardous decomposition products	:	No hazardous decomposition pro	ducts are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

2-dimethylaminoethanol:

Acute inhalation toxicity

: LC50 (Rat): 6.1 mg/l Exposure time: 4 h Test atmosphere: vapour

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

Sika[®] FerroGard[®]-901 S



Version 4.1	Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017	
	STOT - repeated exposure Not classified due to lack of data.				
-	Aspiration toxicity Not classified due to lack of data.				
SECTION	12. ECOLOGICAL INFO	RN	IATION		
	oxicity ata available				
	Persistence and degradability No data available				
	ccumulative potential ata available				
	lity in soil ata available				
Othe	r adverse effects				
<u>Prod</u> Addit matic	ional ecological infor-	:	There is no data available fo	or this product.	
SECTION	13. DISPOSAL CONSID	ER	ATIONS		
Disp	osal methods				
-	e from residues	:	Send to a licensed waste ma	anagement company.	
			Do not contaminate ponds, v cal or used container.	waterways or ditches with chemi-	

Contaminated packaging	: Empty remaining contents. Dispose of as unused product.
	Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable

Sika[®] FerroGard[®]-901 S



ersion 1	Revision Date: 27.01.2025	SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017
aircra Packii ger ai	ng instruction (passen-	: Not applicable	
IMDG-Code UN number		· Not appliable	
		: Not applicable	
Proper shipping name		Not applicableNot applicable	
Class Subsidiary risk		: Not applicable	
Packing group		: Not applicable	
Labels		: Not applicable	
EmS Code		: Not applicable	
Marin	e pollutant	: Not applicable	
		to Annex II of MARPOL 73/78	8 and the IBC Code
Not applicable for product as a National Regulations		supplied.	
ADG			
UN n	umber	: Not applicable	
Prop	er shipping name	: Not applicable	
Class Subsidiary risk		: Not applicable	
		: Not applicable	
	ing group	: Not applicable	
Labe		: Not applicable	
Hazc	hem Code	: Not applicable	
Speci	al precautions for use	r	
Not a			

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard) Instrument publication to cl	dule number allocated (Please use the original neck for specific uses, specific conditions or that might apply for this chemical)
International Chemical Weapons Convention (CW Schedules of Toxic Chemicals and Precursors	C) : Not applicable
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:AICS: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Sika[®] FerroGard[®]-901 S



Vers 4.1	ion	Revision Date: 27.01.2025		SDS Number: 10000009396	Date of last issue: 08.08.2021 Date of first issue: 10.07.2017	
	Revision Date Date format		:	27.01.2025 dd.mm.yyyy		
	Full text	of other abbreviatio	ns			
	AU OEL		:	Australia. Workplace Exposure St taminants.	andards for Airborne Con-	
	AU OEL / TWA: Exposure standard - time weighted averageAU OEL / STEL: Exposure standard - short term exposure limitADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Car Dangerous Goods by Road		cposure limit e.			
	CAS : C DNEL : E		Chemical Abstracts Service Derived no-effect level			
	EC50 : GHS : IATA :		:	Half maximal effective concentration Globally Harmonized System International Air Transport Association		
	IMDG LD50		:	 International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) 		
	LC50		:	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL		•	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
	OEL PBT		:	Occupational Exposure Limit Persistent, bioaccumulative and to		
	PNEC REACH		:	Predicted no effect concentration Regulation (EC) No 1907/2006 of and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Euro	the European Parliament or 2006 concerning the Reg- o and Restriction of Chemi-	
	SVHC vPvB		:	Substances of Very High Concern Very persistent and very bioaccur		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN